


# Professional cross-line laser



# INTERIOR FINISHING AND BUILDING

The ideal laser measuring device for interior and dry finish work. Simple handling – these devices align themselves automatically. Clearly visible laser lines for easy alignment of tiles, framing, windows etc. The line lasers with laser receiver can even be used outdoors. The best visibility is offered by green line lasers.

## Powerful technology



### AUTOMATIC LEVEL

Automatic alignment of the device with a magnetically dampened pendulum system. The devices are set to their initial position and align themselves automatically in a matter of seconds.



### SENSOR AUTOMATIC

Electronic vials and positioning motors controlled by temperaturestable sensors for automatic alignment of devices. The devices are set to their initial position and align themselves automatically.



### lock

Transport LOCK: Units with "Automatic Level" are protected with a pendulum lock during transport. A special motor lock protects units with "Sensor Automatic".



### ANTI SHAKE

Additional function for all units with „Sensor Automatic“: The electronic permanently levels the units even if these are moving. For quick levelling, on vibrating surfaces and windy weather.



### PowerBright LASER

Devices with PowerBright technology have special high-performance diodes to produce super bright laser lines. These remain visible over longer distances, in bright ambient light and on dark surfaces.



### RX READY

RX-READY technology enables line lasers to be used even in unfavourable light conditions. The laser lines pulsate at a high frequency and this can be picked up by special laser receivers over long distances.



### IP 54



Protection against dust and water – The measuring tools are characterised by specific protection against dust and rain.



### HARD ALU

Laserliner instruments are available in sturdy carrying cases.

HARD: plastic carry case  
ALU: aluminium carry case



1H 3V 1D

The space grids show the number and direction of laser lines.  
**H** = Number of horizontal lasers      **V** = Number of vertical lasers  
**D** = Downward plumb laser (downpoint)      **S** = Slope function



RangeXtender 51

max. 50 m




RangeXtender 52 TwinLevel



SpeedPowerPack –  
1 hour charging time with high-quality external quick-charger




**AutoCross-Laser 2C**



**Cross-line laser with 4 line lasers and additional plumb laser**

- 2.5° self-levelling range, precision 2 mm / 10 m
- Wide-range vertical laser line
- The pivoted housing can be turned with a vernier adjustment mechanism to permit exact positioning of laser lines.
- Adjustable feet with removable rubber caps prevent the device slipping on smooth surfaces.
- RX-Ready: The laser receiver, which is available as an optional extra, can detect laser lines in a range of up to 50 m - ideal for outdoor applications.



**Inclusive:** AutoCross-Laser 2C, rechargeable batteries, quick charger, laser enhancement glasses, tripod adapter (for crank tripods), rubber caps, carrying case


ORDER NO.	EAN-CODE	PU
031.201A	4 021563 668458	1

**AutoCross-Laser 2C RX**  
as above without laser enhancement glasses but with RangeXtender, including battery and universal mount

031.200A	4 021563 663095	1
----------	-----------------	---




**AutoCross-Laser 3C PowerBright**



**Cross-line laser with plumb laser additional reference line**

- Straightforward plumb function using laser cross at the top and additional plumb laser.
- The vertical laser lines are aligned at right angles to one another.
- 2.5° self-levelling range, precision 2 mm / 10 m
- The pivoted housing can be turned with a vernier adjustment mechanism to permit exact positioning of laser lines.
- Adjustable feet with removable rubber caps
- RX-Ready: The laser receiver, which is available as an optional extra, can detect laser lines in a range of up to 50 m - ideal for outdoor applications.



**Inclusive:** AutoCross-Laser 3C PowerBright, rechargeable batteries, quick charger, laser enhancement glasses, tripod adapter (for crank tripods), rubber caps, carrying case

ORDER NO.	EAN-CODE	PU
031.212A	4 021563 668465	1

**AutoCross-Laser 3C PowerBright RX**  
as above without laser enhancement glasses but with RangeXtender, including battery and universal mount


031.211A	4 021563 667062	1
----------	-----------------	---



Interior finishing and building




**AutoCross-Laser 4C PowerBright**



**Robust cross-line laser with 4 super-bright laser lines, plumb laser and impact-proof housing cover**

- Straightforward plumb function using laser cross at the top and additional plumb laser.
- The vertical laser lines are aligned at right angles to one another.
- 2.5° self-levelling range, precision 2 mm / 10 m
- The pivoted housing can be turned with a vernier adjustment mechanism to permit exact positioning of laser lines.
- Adjustable feet with removable rubber caps
- RX-Ready: The laser receiver, which is available as an optional extra, can detect laser lines in a range of up to 50 m - ideal for outdoor applications.



**Inclusive:** AutoCross-Laser 4C PowerBright, rechargeable batteries, quick charger, laser enhancement glasses, tripod adapter (for crank tripods), rubber caps, carrying case


ORDER NO.	EAN-CODE	PU
031.312A	4 021563 668403	1

**AutoCross-Laser 4C PowerBright RX**  
as above without laser enhancement glasses but with RangeXtender, including battery and universal mount

031.311A	4 021563 667079	1
----------	-----------------	---




**AutoCross-Laser 7C PowerBright**



**Cross-line laser with 7 super-bright laser lines and plumb laser**

- The 3 horizontal laser diodes project a homogeneous 360° laser line, the 4 vertical laser lines are aligned at right angles to one another.
- Straightforward plumb function using laser cross at the top and additional plumb laser.
- 2.5° self-levelling range, precision 2 mm / 10 m
- The pivoted housing can be turned with a vernier adjustment mechanism to permit exact positioning of laser lines.
- Adjustable feet with removable rubber caps
- RX-Ready: The laser receiver, which is available as an optional extra, can detect laser lines in a range of up to 50 m - ideal for outdoor applications.



**Inclusive:** AutoCross-Laser 7C PowerBright, rechargeable batteries, quick charger, laser enhancement glasses, tripod adapter (for crank tripods), rubber caps, carrying case

ORDER NO.	EAN-CODE	PU
049.210A	4 021563 670888	1

**AutoCross-Laser 7C PowerBright RX**  
as above without laser enhancement glasses but with RangeXtender, including battery and universal mount

049.211A	4 021563 669028	1
----------	-----------------	---

