

Tripods and fasteners



THE BASIS FOR SOUND WORK

To make full use of all the capabilities offered by a rotation laser or automatic level, a tripod is necessary. Laserliner offers an extensive range of tripods, since different tasks call for different technical solutions. Wallmounts ease ceiling work.



Quick-release lock for equal extension of all legs



An all-round steel chain prevents the legs from spreading on smooth floors



The seat for the instrument is milled and surface-ground



Hook for plumb bob directly beneath the fixing screw



Sturdy steel feet for secure positioning



Professional crank lift on the professional crank tripod with mm graduation



Adjustable carrying strap



Crank lift with mm graduation




Laser and levelling device accessories

Compact Tripod 120 cm



High-quality mini crank tripod of aluminium
 – Suitable for use on different surfaces through special combination feet (rubber/steel top)
 – 5/8" thread adapter



ORDER NO.	EAN-CODE	PU
080.29	4 021563 652266	1




PT

Aluminium Lightweight Tripod 165 cm



Lightweight design with milled mounting surface
 – 5/8" thread adapter
 – Sturdy steel feet
 – Quick-release lock

Not for ACL 2C, ACL 3C, ACL 4C, ACL 360°, ECL 8P, PCL



Inclusive: hook for plumb bob, carrying strap

ORDER NO.	EAN-CODE	PU
080.00	4 011879 633967	1




PT

Ball-head Tripod 165 cm



Lightweight design with ball shaped mounting surface
 – 5/8" thread adapter
 – Sturdy steel feet
 – Quick-release lock

Special for automatic levels AL 22 / 26.



Inclusive: hook for plumb bob, carrying strap

ORDER NO.	EAN-CODE	PU
080.06	4 021563 658190	1




IQ

Aluminium Tripod 170 cm



Heavy design with milled mounting surface
 – 5/8" thread adapter
 – Sturdy steel feet
 – steel chains
 – Quick-release lock

Not for ACL 2C, ACL 3C, ACL 4C, ACL 360°, ECL 8P, PCL



Inclusive: hook for plumb bob, carrying strap

ORDER NO.	EAN-CODE	PU
080.10	4 011879 630935	1




IQ

Compact Tripod 300 cm

NEW



High-quality, very compact crank tripod made of aluminium
 – 5/8" thread adapter
 – Circular vial
 – Multi-section telescoping tripod legs and crank height adjustment permit large adjustment range.
 – Special combination feet (rubber/steel tips) facilitate adaptation to different surfaces.



ORDER NO.	EAN-CODE	PU
080.37	4 021563 670666	1




PT

Crank Tripod 160 cm



Heavy design with crank height adjustment and quick-lock
 – 5/8" thread adapter
 – Circular vial
 – Sturdy steel feet
 – steel chains



Inclusive: hook for plumb bob, carrying strap

ORDER NO.	EAN-CODE	PU
080.30	4 011879 630959	1




PT

Laser and levelling device accessories

Professional Crank Tripod 260 cm



- Design with integrated professional crank height adjustment**
- 5/8" thread adapter
 - Wide range of adjustment through extremely high lift
 - Crank can be fixed in place without any play.
 - Sturdy steel feet
 - steel chains



Inclusive: carrying strap


ORDER NO.	EAN-CODE	PU
080.33	4 021563 650637	1



Professional Crank Tripod 300 cm



- Design with integrated professional crank height adjustment**
- 5/8" thread adapter
 - Extremely long crank lift allows a large range of adjustment
 - Crank lift can be fixed and adjusted without play
 - Special combination feet (rubber steel tips) facilitate adaptation to different surfaces.
 - Sturdy steel feet
 - steel chains



Inclusive: carrying strap


ORDER NO.	EAN-CODE	PU
080.34	4 021563 662296	1



Professional Crank Tripod 320 cm



- Super-robust design for outdoor areas**
- 5/8" thread adapter
 - Suitable for windy conditions thanks to stability fitting and double-acting quick release lock
 - Circular vial
 - Sturdy steel feet
 - Three-legged frame for maximum stability
 - Crank lift can be fixed and adjusted without play
 - Special combination feet (rubber steel tips) facilitate adaptation to different surfaces.



Inclusive: hook for plumb bob, carrying strap

ORDER NO.	EAN-CODE	PU
080.36	4 021563 663927	1



Angle Bracket 5/8"



- Professional design with angle scale**
- Suitable for all laser measuring tools

ORDER NO.	EAN-CODE	PU
080.75	4 021563 662821	1



Wall Mount



- For all Laserliner rotary- and linelasers**
- With height adjustment and clamp bracket for attachment to construction elements.



ORDER NO.	EAN-CODE	PU
080.70	4 011879 631178	1



Wall Mount Pro



- For all Laserliner rotary- and linelasers**
- With positioning wheel for precise height adjustment, clamp holder for attachment to structural elements.



ORDER NO.	EAN-CODE	PU
080.71	4 021563 658817	1

